



FLEET (LINE MARKERS) LTD
Fleet House
Spring Lane
Malvern
Worcestershire
WR14 1AT
U.K.
Tel: +44 (0) 1684 573 535
Fax: +44 (0) 1684 892 784

PRODUCT HEALTH AND SAFETY

1. COMPANY PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	KOMBI KLEAN
PRODUCT PURPOSE:	LINE MARKING (OUTDOOR)
COMPANY IDENTIFICATION:	FLEET (LINE MARKERS) LTD. Fleet House, Spring Lane, Spring Lane Industrial Estate, Malvern, Worcs. WR14 1AT
TEL:	+44(0) 1684 573535
FAX:	+44(0) 1684 892784
E-MAIL:	sales@fleetlinemarkers.com
EMERGENCY TELEPHONE	+44(0) 1684 573535

2. HAZARD IDENTIFICATION

PRIMARY ROUTES OF EXPOSURE:	Eye Contact Skin Contact Inhalation
EYE CONTACT:	May cause severe irritation.
SKIN CONTACT:	Prolonged or repeated contact may cause irritation of the skin.
INHALATION	May cause some irritation to the mouth and upper digestive tract.

3. COMPOSITION

Water-based cleaning solution concentrate which contains, 10 – 30% aqueous solution of: Phosphoric acid, monoester with lauryl and myristyl alcohols and EO

4. FIRST AID MEASURES

EYE CONTACT:	Flush eyes with large amounts of water, before marking fluid dries, for at least 10 minutes. Seek medical advice if irritation persists.
SKIN CONTACT:	Remove contaminated clothing. Wash with soap and water before fluid dries.
INHALATION	Remove to fresh air if effects occur. Seek medical advice.
INGESTION:	Drink plenty of water. Do not induce vomiting. Seek medical advice.

5. FIRE FIGHTING MEASURES

FIRE FIGHTING:	In case of fire, self contained breathing apparatus should be worn
FIRE AND EXPLOSION HAZARDS:	Fumes containing oxides of nitrogen and ammonia may be formed in large fires. Carbon monoxide and carbon dioxide may also be produced
EXTINGUISHING AGENTS:	Water, foam, carbon dioxide or dry powder extinguishers are all suitable.

6. ACCIDENTAL RELEASE MEASURES

Wear impervious gloves/overalls and eye protection while clearing up the spillage. Spillage should not be washed into any drain unless it leads to a suitable effluent treatment process. Residues and spillage should be soaked up with an inert absorbent (e.g. sand, earth) and place in plastic barrels for disposal. Failure to contain the release must be reported to the local authority.

7. HANDLING AND STORAGE

HANDLING:	Handle in accordance with good industrial safety and
-----------	--

**FLEET (LINE MARKERS) LTD**Fleet House
Spring Lane
Malvern
Worcestershire
WR14 1AT
U.K.Tel: +44 (0) 1684 573 535
Fax: +44 (0) 1684 892 784**PRODUCT HEALTH AND SAFETY**

STORAGE: hygiene practices.
Avoid extremes of temperature. Keep containers tightly closed. Avoid contact with copper, zinc, nickel and aluminium and their alloys.
Store in sealed containers between -17°C and 49°C.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

EXPOSURE CONTROLS: Avoid contact with eyes, skin or clothes. Working procedures should be designed to minimise worker exposure to this product. Where this is not possible the following personal protective equipment should be provided.

PERSONAL PROTECTION:
Respiratory: In misty atmospheres use an approved mist respirator.
Hand: Gloves, if risk of skin contact.
Eye: Goggles, if risk of splashing.
Skin: Standard industrial overalls if risk of splashing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Mobile Liquid
Odour: Ammoniacal
pH: 12.0 to 13.0
Boiling point: Approx. 105°C
Specific Gravity: 1.3
Water solubility: Fully miscible

10. STABILITY AND REACTIVITY

Kombi Klean is stable under normal conditions of use - also see Handling and Storage. May release flammable hydrogen in contact with aluminium, zinc, copper, nickel and their alloys. May react with strong oxidants. Thermal decomposition and combustion of solid content may produce ammonia and nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity: LD_{50} (Rat) > 2000 mgkg⁻¹
Irritant effect on skin: LD_{50} (Rabbit) >5000 mgkg⁻¹

The product is therefore considered to be of low acute oral toxicity to mammals.
Frequent contact may lead to skin and eye irritation, especially if the product is allowed to dry out.

12. ECOLOGICAL INFORMATION

Kombi Klean is slowly biodegraded within the environment at a rate strongly dependent on the micro-organisms present. **Kombi Klean** is not bio accumulative in aquatic organisms.

13. DISPOSAL INFORMATION

Kombi Klean; avoid contact with eye and skin. Wear impervious gloves/overalls and safety goggles. Do not wash into the drains. Do not mix with other waste materials. Dispose of in accordance with existing EEC, National and Local Regulations.

14. TRANSPORT INFORMATION

EEC Hazard Classification:
PROPER SHIPPING NAME Corrosive liquid, Basic, Surfactant, Cleaning Solution Concentrate
ADR (Road)
UN No.: 3267
Label: 8
Class: 8-56c
RID (Railroad)
UN No.: 3267



FLEET (LINE MARKERS) LTD
Fleet House
Spring Lane
Malvern
Worcestershire
WR14 1AT
U.K.
Tel: +44 (0) 1684 573 535
Fax: +44 (0) 1684 892 784

PRODUCT HEALTH AND SAFETY

Label: 8
IMDG (Sea)
UN No.: 3267
Label: 8
Packaging Group: III
Marine Pollutant: No
EmS: 8-15
MFAG: 760/4.3
IATA (Air)
UN No.: 3267
Label: COR
Packaging Group: III

15. REGULATORY INFORMATION

Classification: IRRITANT

R-Phrases: R36/38 Irritating to eyes and skin.
R41 Risk of serious damage to eyes

S-Phrases S24/25 Avoid contact with skin and eyes
S26 In case of contact with eyes; rinse immediately with plenty of water and seek medical attention
S28 After contact with skin; wash immediately with plenty of water
S37/39 Wear suitable gloves and eye/face protection

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is based on the present state of our knowledge. This data is intended to enable safety assessments to be carried out and should not be construed as a guarantee of specific properties.

Date of issue: June 22nd 2012

Revision Reference: 003